

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AddA: Avonburg-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
AddB2: Avonburg-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Ar: Armiesburg-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Ay: Ayrshire-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
BbhA: Bartle-----	83	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.46
BcrAW: Beanblossom-----	89	Not limited		Not limited		Somewhat limited Flooding	0.60
BdB: Bedford-----	100	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to cemented pan Depth to saturated zone	0.79 0.75
BdhAH: Bellcreek-----	80	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
BeG: Berk-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock Content of large stones Droughty	1.00 0.42 0.38 0.26

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Gravel content	0.13
Bf: Birds-----	100	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
BlF:							

Bloomfield-----	100	Very limited Too sandy Slope	1.00 0.98	Very limited Too sandy	1.00	Very limited Slope Droughty	1.00 0.63
BmB: Bloomfield-----	55	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty	0.61
Alvin-----	45	Somewhat limited Too sandy	0.24	Somewhat limited Too sandy	0.24	Not limited	
BmC2: Bloomfield-----	55	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Somewhat limited Droughty Slope	0.61 0.16
Alvin-----	45	Somewhat limited Too sandy	0.24	Somewhat limited Too sandy	0.24	Somewhat limited Slope	0.16
Bn: Bobtown-----	100	Somewhat limited Too sandy Depth to saturated zone	0.24 0.08	Somewhat limited Too sandy Depth to saturated zone	0.24 0.08	Somewhat limited Depth to saturated zone	0.43
BoD2: Bonnell-----	100	Not limited		Not limited		Somewhat limited Slope	0.96
BodAV: Bonnie-----	84	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
BpD3: Bonnell-----	100	Somewhat limited Slope	0.01	Not limited		Very limited Slope	1.00
CcB2: Cincinnati-----	80	Not limited		Not limited		Somewhat limited Depth to cemented pan Depth to saturated zone	0.35 0.19

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CcC2: Cincinnati, eroded--	100	Not limited		Not limited		Somewhat limited Depth to cemented pan Depth to saturated zone Slope	0.90 0.19 0.04
CcC3: Cincinnati, severely eroded-----	100	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Very limited Depth to cemented pan Depth to saturated zone Droughty Slope	1.00 0.75 0.47 0.04
ClfA: Cobbsfork-----	75	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
CoD: Coolville-----	100	Somewhat limited Depth to saturated zone Slope	0.44 0.01	Somewhat limited Depth to saturated zone	0.44	Very limited Slope Depth to saturated zone	1.00 0.75
Df:							

Driftwood-----	100	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
DuA: Dubois-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.01
DuB2: Dubois-----	77	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.64
FoA: Fox-----	55	Not limited		Not limited		Not limited	
Ockley-----	45	Not limited		Not limited		Not limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FrD2: Frederick-----	45	Not limited		Not limited		Somewhat limited Slope	0.66
Crider-----	35	Not limited		Not limited		Somewhat limited Slope	0.04
Gilpin-----	20	Somewhat limited Slope	0.01	Not limited		Very limited Slope Depth to bedrock	1.00 0.42
Ge: Genesee-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
GnD3: Gilpin-----	100	Somewhat limited Slope	0.01	Not limited		Very limited Slope Depth to bedrock	1.00 0.42
GnF: Gilpin-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.01	Very limited Slope Depth to bedrock	1.00 0.42
GpD: Gilpin-----	50	Somewhat limited Slope	0.32	Not limited		Very limited Slope Depth to bedrock	1.00 0.42
Wellston-----	50	Not limited		Not limited		Somewhat limited Slope	0.96
HdA: Haubstadt-----	90	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.29
HdB2: Haubstadt-----	84	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.29
Hm: Haymond-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
HrE: Hickory-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.01	Very limited Slope	1.00
KtF: Kurtz-----	100	Very limited		Somewhat limited		Very limited	

		Slope	1.00	Slope	0.78	Slope	1.00
--	--	-------	------	-------	------	-------	------

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ly: Lyles-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
MfxA: Martinsville, Sandy Substratum-----	95	Not limited		Not limited		Not limited	
MkB2: Markland-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
MmC3: Markland-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone Slope	0.19 0.01
MrA: Mcgary-----	93	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
MtB2: Medora-----	88	Not limited		Not limited		Very limited Depth to cemented pan	0.99
MtC2: Medora-----	73	Not limited		Not limited		Very limited Depth to cemented pan Slope	0.99 0.04
NaaA: Nabb-----	85	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.10
NaaB2: Nabb-----	78	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.20
NeD2: Negley-----	100	Somewhat limited Slope	0.01	Not limited		Very limited Slope	1.00
NgE: Negley-----	100	Somewhat limited Slope	0.98	Not limited		Very limited Slope	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NnA: Nineveh Variant----	100	Not limited		Not limited		Somewhat limited Flooding	0.60
Omz: Orthents-----	100	Not rated		Not rated		Not rated	

OtC2:							
Otwell-----	100	Not limited		Not limited		Somewhat limited Slope	0.04
OtC3:							
Otwell-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone Slope	0.19 0.04
PaB2:							
Parke-----	100	Not limited		Not limited		Not limited	
PaC2:							
Parke-----	100	Not limited		Not limited		Somewhat limited Slope	0.04
PeB2:							
Pekin-----	90	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.54
PhaA:							
Peoga-----	83	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
Pp:							
Piopolis, drained---	90	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
RaC3:							
Rarden-----	100	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to bedrock Slope	0.75 0.42 0.01
RdD3:							
Rarden-----	100	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Very limited Slope	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.01			Depth to saturated zone Depth to bedrock	0.75 0.42
RoA:							
Roby Variant-----	100	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
RtxAH:							
Rosburg-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Ru:							
Ruark Variant-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Sf:							
Steff-----	100	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding Depth to saturated zone	1.00 0.19
Sg:							
Steff-----	100	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
SldAH:							
Shoals-----	90	Very limited Depth to	1.00	Very limited Depth to	1.00	Very limited Flooding	1.00

			saturated zone Flooding	0.40	saturated zone Flooding	0.40	Depth to saturated zone	1.00
Sn:								
Stendal-----	90	Somewhat limited Depth to saturated zone Flooding	0.86	Somewhat limited Depth to saturated zone Flooding	0.86	Very limited Flooding		1.00
			0.40		0.40	Depth to saturated zone		0.94
SsC2:								
Stonehead-----	100	Not limited		Not limited		Somewhat limited Slope		0.01
St:								
Stonelick-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding		1.00
StdAQ:								
Stendal-----	88	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone		1.00
SyA:								
Stoy-----	90	Somewhat limited		Somewhat limited		Somewhat limited		
Table REC-2.--Recreation--Continued								

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.86	Depth to saturated zone	0.86	Depth to saturated zone	0.94
TLB2:							
Tilsit-----	100	Not limited		Not limited		Not limited	
TLc2:							
Tilsit-----	100	Not limited		Not limited		Somewhat limited Slope	0.04
Ud:							
Udorthents-----	60	Very limited Slope Water erosion	1.00 1.00	Very limited Water erosion Slope	1.00 0.22	Very limited Slope	1.00
Poorly Drained Aquent-----	40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
W:							
Water-----	100	Not rated		Not rated		Not rated	
Wa:							
Wakeland-----	90	Somewhat limited Depth to saturated zone Flooding	0.86 0.40	Somewhat limited Depth to saturated zone Flooding	0.86 0.40	Very limited Flooding Depth to saturated zone	1.00 0.94
WeD2:							
Wellston-----	100	Somewhat limited Slope	0.01	Not limited		Very limited Slope	1.00
Wk:							
Whitaker-----	90	Somewhat limited Depth to saturated zone Flooding	0.86 0.40	Somewhat limited Depth to saturated zone Flooding	0.86 0.40	Very limited Flooding Depth to saturated zone	1.00 0.94
Wo:							
Whitaker Variant----	100	Somewhat limited Flooding Depth to saturated zone	0.40 0.08	Somewhat limited Flooding Depth to saturated zone	0.40 0.08	Very limited Flooding Depth to saturated zone	1.00 0.43
Wr:							
Wilbur-----	100	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding Depth to	1.00 0.19

saturated zone

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WsyAQ: Whitaker-----	92	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Wt: Wilhite-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Too clayey	1.00	Too clayey	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Flooding	0.40	Too clayey	1.00
Zp: Zipp-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Too clayey	1.00	Too clayey	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Flooding	0.40	Too clayey	1.00